

Product Overview

Consumer Products



Solid State Drives



Apple Solutions



External Hard Drives



USB Flash Drives



Memory Cards



Card Readers & Accessories



Car Video Recorder



Multimedia Products




Memory Modules



Product Lines

G-Sensor Step Counter Digital Music Player



Apple Solutions



Solid State Drives

2.5" SATA 6Gb/s SSDs
USB 3.0 Portable SSD
SATA 6Gb/s mSATA SSD
SATA 6Gb/s M.2 SSDs

02

Apple Solutions

JetDrive
JetDrive Lite
StoreJet for Mac
JetMemory
Portable Wireless Drive

05

External Hard Drives

Portable Series
Desktop Series

12

USB Flash Drives

Mobile Series
USB 3.0 Series
USB 2.0 Series

15

Memory Cards

SD Cards
MicroSD Cards
CFast/CompactFlash Cards

21

Card Readers & Accessories

OTG Smart Reader
USB 3.0 Card Readers
USB 2.0 Card Readers
Accessories

24

Car Video Recorder

DrivePro200
DrivePro100

26

Multimedia Products

Digital Music Players
Portable CD/DVD Writer

27

Memory Modules

For Gamers & Enthusiasts
For Desktops & Notebooks
For Servers & Workstations

30

Solid State Drives



2.5" SATA 6Gb/s SSDs

Transcend's next-generation SATA 6Gb/s solid state drives deliver significantly improved performance and reliability to modern Ultrabooks, notebooks, and desktops. Designed with multitasking power users in mind, the productivity-enhancing SATA 6Gb/s SSDs are the ideal upgrade solution for advanced multimedia computing and intense gaming.



FASTER
than traditional HDDs



SSD370

2.5" SATA 6Gb/s SSD

Transcend TS6500 controller with Synchronous MLC NAND Flash

- Amazing cost/performance value
- Built-in ECC and Wear-Leveling to ensure reliable data transfer
- Supports TRIM, NCQ, S.M.A.R.T. and firmware updates
- Supports DevSleep mode

Size	99.8 x 69.8 x 7mm	
Weight	52g	
Flash Type	MLC	
Connection Type	SATA (22-pin)	
Form Factor	2.5"	
Max. Performance*	Seq. Read: 570MB/s, Seq. Write: 470MB/s	
	4k random file read	75,000 IOPS
	4k random file Write	75,000 IOPS
Operating Voltage	5V±5%	
Operating Temp.	0°C (32°F)~70°C (158°F)	
MTBF	1.5 million hours	



Ordering Information

TS32GSSD370	32GB
TS64GSSD370	64GB
TS128GSSD370	128GB
TS256GSSD370	256GB
TS512GSSD370	512GB
TS1TSSD370	1TB

*Performance varies by capacity, user hardware and system configuration

just **7.0 mm**



SSD340

2.5" SATA 6Gb/s SSD

JMICRON controller with Synchronous MLC NAND Flash

- Amazing cost/performance value
- Built-in ECC and Wear-Leveling to ensure reliable data transfer
- Supports TRIM, NCQ, S.M.A.R.T. and firmware updates

Size	99.8 x 69.8 x 7mm
Weight	52g
Flash Type	MLC
Connection Type	SATA (22-pin)
Form Factor	2.5"
Max. Performance*	Seq. Read: 520MB/s, Seq. Write: 290MB/s 4k random file read 69,000 IOPS 4k random file Write 68,000 IOPS
Operating Voltage	5V±5%
Operating Temp.	0°C (32°F)~70°C (158°F)
MTBF	1.5 million hours

*Performance varies by capacity, user hardware and system configuration



Ordering Information

TS32GSSD340	32GB
TS64GSSD340	64GB
TS128GSSD340	128GB
TS256GSSD340	256GB



All models include 2.5" to 3.5" desktop mounting bracket and screws

USB 3.0 Portable SSD

The ESD400 USB 3.0 Portable Solid State Drive is equipped with a next-generation SuperSpeed USB 3.0 connection interface that provides 10 times the bandwidth of USB 2.0. Thanks to its lightweight, compact design and solid state durability, the ESD400 portable SSD makes it easy to store, protect, carry and share all your digital files wherever you go.



70% lighter



75% smaller

ESD400

Compact, light, and ultra-fast

3x faster than normal portable HDDs

- Connection bandwidth up to 5Gbits per second
- Dual-color LED indicator (power, data transfer & USB 2.0/3.0 connection type)
- One Touch Auto-Backup button
- Supports UASP environment

Size	92 x 62 x 10.5mm
Weight	55g
Flash Type	MLC
Max. Performance*	Read: 410MB/s, Write: 380MB/s
Operating Voltage	5V
Operating Temp.	0°C (32°F)~70°C (158°F)
MTBF	1.5 million hours

* [Platform] ASUS P8Z68-V PRO / Intel Core i7 / 4G DDR3 1333
[System configuration] OS: Windows 7 professional 64 bit,
HDD/SSD tested as system disk connected to SATA III port. (AHCI enabled)
** Performance varies by capacity, user hardware and system configuration



Ordering Information

TS128GESD400K	128GB
TS256GESD400K	256GB
TS512GESD400K	512GB
TS1TESD400K	1TB

Sleek ultra portable design
(portable SSD vs. portable HDD)

SATA 6Gb/s mSATA SSDs

MSA370

mSATA SSD

SATA 6Gb/s SSD with Synchronous MLC NAND Flash



- Power Shield to prevent data loss in a sudden power outage
- DDR3 DRAM cache
- S.M.A.R.T., TRIM and NCQ support help to maintain a healthy, efficient SSD
- Intelligent Block Management and Wear-Leveling
- Supports DevSleep mode

Size	50.8 × 29.85 × 3.5(max.)mm
Weight	8g
Flash Type	MLC
Connection Type	mSATA 52-pin
Form Factor	MO-300A
Max. Performance*	Read: 570MB/s, Write: 450MB/s
Operating Voltage	3.3V±5%
Operating Temp.	0°C (32°F)~70°C (158°F)
MTBF	1.5 million hours

*Performance varies by capacity, user hardware and system configuration



Perfect for Ultrabooks
& tablet PCs

Ordering Information

TS16GMSA370	16GB
TS32GMSA370	32GB
TS64GMSA370	64GB
TS128GMSA370	128GB
TS256GMSA370	256GB
TS512GMSA370	512GB

SATA 6Gb/s M.2 SSDs

Transcend's next-generation SATA 6Gb/s M.2 solid state drives deliver significantly improved performance and reliability to modern Ultrabooks, notebooks, and desktops. Designed with multitasking power users in mind, the productivity-enhancing SATA 6Gb/s SSDs are the ideal upgrade solution for advanced multimedia computing and intense gaming.



MTS800

Ordering Information

TS32GMTS800	32GB
TS64GMTS800	64GB
TS128GMTS800	128GB
TS256GMTS800	256GB
TS512GMTS800	512GB



MTS600

Ordering Information

TS32GMTS600	32GB
TS64GMTS600	64GB
TS128GMTS600	128GB
TS256GMTS600	256GB
TS512GMTS600	512GB



MTS400

Ordering Information

TS32GMTS400	32GB
TS64GMTS400	64GB
TS128GMTS400	128GB
TS256GMTS400	256GB

	MTS800	MTS600	MTS400
Size	80 × 22 × 3.5(max.)mm	60 × 22 × 3.5(max.)mm	42 × 22 × 3.5(max.)mm
Weight	9g	6g	4g
Flash Type	Synchronous MLC	Synchronous MLC	Synchronous MLC
Connection Type	M.2 module notch B+M	M.2 module notch B+M	M.2 module notch B+M
Form Factor	2280-D2-B-M	2260-D2-B-M	2242-D2-B-M
Max. Performance*	Read: 570MB/s, Write: 450MB/s	Read: 560MB/s, Write: 310MB/s	Read: 560MB/s, Write: 160MB/s
Operating Voltage		3.3V±5%	
Operating Temp.		0°C (32°F)~70°C (158°F)	
MTBF		1.5 million hours	

*Performance varies by capacity, user hardware and system configuration

Apple Solutions



Max it out.

JetDrive™

Introducing our new JetDrive SSD upgrade kits for the MacBook Air and MacBook Pro with Retina display. Complete with tools, instructions, and a slick aluminum USB 3.0 enclosure to reuse your original SSD, Transcend's JetDrive SSD upgrade kits allow you to both increase your storage space and boost the performance of your Mac®. Transcend's JetDrive SSDs are also backed by an industry-leading 5-year warranty.

JetDrive 500

2.5" SATA III 6Gb/s SSD

Flash Type	Synchronous MLC
Operating Temp.	0°C (32°F)~70°C (158°F)
Max. Performance*	ATTO- Seq. R: 570MB/s, Seq. W: 460MB/s AJA- Seq. R: 500MB/s, Seq. W: 430MB/s
Enclosure Case	130mm x 28.2mm x 10.8mm, 60g
Operating Temp.	5°C (41°F)~55°C (131°F)



Ordering Information

TS240GJDM500	240GB
TS480GJDM500	480GB
TS960GJDM500	960GB

JetDrive 520

2.5" SATA III 6Gb/s SSD

Flash Type	Synchronous MLC
Operating Temp.	0°C (32°F)~70°C (158°F)
Max. Performance*	ATTO- Seq. R: 570MB/s, Seq. W: 460MB/s AJA- Seq. R: 500MB/s, Seq. W: 430MB/s
Enclosure Case	130mm x 28.2mm x 10.8mm, 60g
Operating Temp.	5°C (41°F)~55°C (131°F)



Ordering Information

TS240GJDM520	240GB
TS480GJDM520	480GB
TS960GJDM520	960GB

JetDrive 725/720

2.5" SATA III 6Gb/s SSD

Flash Type	Synchronous MLC
Operating Temp.	0°C (32°F)~70°C (158°F)
Max. Performance*	ATTO- Seq. R: 570MB/s, Seq. W: 460MB/s AJA- Seq. R: 500MB/s, Seq. W: 430MB/s
Enclosure Case	110.9mm x 37.2mm x 10.8mm, 65g
Operating Temp.	5°C (41°F)~55°C (131°F)



Ordering Information

TS240GJDM725/720	240GB
TS480GJDM725/720	480GB
TS960GJDM725/720	960GB

JetDrive 420

2.5" SATA III 6Gb/s SSD

Flash Type	Synchronous MLC
Operating Temp.	0°C (32°F)~70°C (158°F)
Max. Performance*	ATTO- Seq. R: 570MB/s, Seq. W: 470MB/s AJA- Seq. R: 500MB/s, Seq. W: 440MB/s
Enclosure Case	129mm x 80mm x 13mm, 86g
Operating Temp.	5°C (41°F)~55°C (131°F)



Ordering Information

TS120GJDM420	120GB
TS240GJDM420	240GB
TS480GJDM420	480GB
TS960GJDM420	960GB

Take control with JetDrive Toolbox

Exclusively developed by Transcend for JetDrive SSDs, JetDrive Toolbox monitoring software leverages S.M.A.R.T. technology to analyze its health status. Additionally, it can enable TRIM support for your JetDrive in OS X®, maintaining optimum write speeds and maximizing the lifetime of your SSD.



JetDrive 725 JetDrive 720 JetDrive 520 JetDrive 500* JetDrive 420

Macbook Air 11" & 13"	Late 2010			•	
	Mid 2011			•	
Macbook Air 11" & 13"	Mid 2012		•		
MacBook Pro (Retina®)13"	Late 2012 - Early 2013		•		
MacBook Pro (Retina®)15"	Mid 2012 - Early 2013	•			
MacBook Pro	Late 2008 - Mid 2012				•
MacBook	Late 2008 - Mid 2010				•
Mac Mini	Mid 2010 - Late 2012				•

*11" Macbook Air Late 2010 is incompatible with 480GB/960GB JDM500

*MacBook Air Late 2010 model only supports SATA II 3Gb/s. The transfer speeds vary by models.



Five-Year Limited Warranty(Enclosure: Two-Year Limited)
All models include screws, screw drivers, cables and carrying bags

1GB = 1 billion bytes. A certain portion of the storage capacity may be reserved for firmware and maintenance use.
The warranty does not apply to the SSD product whose wear-out indicator reading detected by Transcend JetDrive Toolbox shows 0% (normally 100% when being brand new)
*Performance varies by capacity, user hardware and system configuration. Please see Transcend website for additional warranty details and limitations.
Apple, MacBook Pro, Macbook Air, and Retina are trademarks of Apple Inc.

JetDrive Lite™

Transcend's JetDrive Lite Expansion Card gives you the chance to instantly boost the total available capacity of your MacBook Pro system without the need to upgrade to a larger capacity SSD.



Low-Profile Design

With JetDrive Lite inserted, you'll barely notice it's there. Not only is it seamlessly integrated with your MacBook, JetDrive Lite is so light that you can take your files everywhere without any hassle.

Protection from the elements

JetDrive Lite is manufactured using a special COB (Chip On Board) manufacturing technique. This means that it is resistant to water, dust and shock.



JetDrive Lite 130



Ordering Information

TS64GJDL130 64GB
TS128GJDL130 128GB

JetDrive Lite 330



Ordering Information

TS64GJDL330 64GB
TS128GJDL330 128GB

JetDrive Lite 350



Ordering Information

TS64GJDL350 64GB
TS128GJDL350 128GB

JetDrive Lite 360



Ordering Information

TS64GJDL360 64GB
TS128GJDL360 128GB

Dimensions	22.2 x 25.8 x 3mm	16.7 x 27.5 x 3mm	22.8 x 27.4 x 3mm	19.3 x 27.5 x 3mm
Flash Type	Synchronous MLC			
Max. Performance*	Seq. Read: 95MB/s, Seq. Write: 60MB/s			
Macbook Air 13"	Late 2010	•		
	Mid 2011	•		
	Mid 2012	•		
	Mid 2013	•		
	Early 2014	•		
MacBook Pro (Retina®) 13"	Late 2012		•	
	Early 2013		•	
	Late 2013		•	
	Mid 2014		•	
MacBook Pro (Retina®) 15"	Mid 2012			•
	Early 2013			•
MacBook Pro (Retina®) 15"	Late 2013			•
	Mid 2014			•
Operating Temp.	-25°C (-13°F)~85°C (185°F)			
Warranty	Limited Lifetime			

*Performance varies by capacity, user hardware and system configuration.

*Late 2010 and Mid 2011 MacBook Air models have reduced performance as the card reader can only support up to USB 2.0 transfer speeds.

StoreJet for Mac™

Transcend's StoreJet for Mac series offers immense storage space and superior data transfer speeds. The SJM100 Portable Hard Drive combines the U.S. military-grade shock resistance with a SuperSpeed USB 3.0 interface, and is natively formatted for Mac computers. In addition, the SJM300 Portable Hard Drive and SJM500 Solid State Drive are also equipped with a Thunderbolt interface, offering even higher transfer rates to boost your productivity.

Vast Storage Space

Connect with the StoreJet for Mac series and your Mac's storage space is instantly expanded. Feel free to save almost anything you like in it.

Blazing Fast Transfer Speeds

StoreJet for Mac series offers the amazing transfer speeds to save your time and boost productivity.



SJM100

SuperSpeed USB 3.0

Military-grade shock resistance

- Supports Time Machine for Mac
- One Touch auto-backup button
- Military-grade shock resistance*
- 256-bit AES file & folder encryption**



Ordering Information

TS2TJM100	2TB
-----------	-----



SJM300

SuperSpeed USB 3.0 & Thunderbolt compliant

Up to 2TB of storage space

- Supports Time Machine for Mac
- High-quality metallic design
- Advanced internal hard drive suspension system
- 256-bit AES file & folder encryption**



Ordering Information

TS2TJM300	2TB
-----------	-----



SJM500

SuperSpeed USB 3.0 & Thunderbolt compliant

Read up to 430 MB/s, write up to 380 MB/s***

- Supports Time Machine for Mac
- Quality metallic casing
- Internal high-speed SSD
- 256-bit AES file & folder encryption**



Ordering Information

TS256GSJM500	256GB
TS512GSJM500	512GB
TS1TJM500	1TB



*Based on U.S. military drop-test standards MIL-STD-810F.

Transcend is not responsible for recovering any data lost due to any improper usage.

**Transcend Elite software is required to use this feature.

***Based on USB 3.0 specification; Performance may vary depending on use case and host device.

JetMemory™

Why stick with the bare minimum? With JetMemory, you can easily add more memory to your Mac computer. The JetMemory series includes the world's first fully qualified 128GB DDR3-1600 REG-DIMM kit for the Late 2013 Mac Pro®. With built-in ECC (Error Correcting Code), you can perform all kinds of computationally-intensive projects with 100% stability on your Mac Pro.

100% Tested. Fully Compatible

Transcend's JetMemory memory modules are tested to be fully compatible with Mac computers, providing you with the most comprehensive upgrade solution for your Mac®.



Feel the speed

Install the JetMemory DDR3-1866 REG-DIMM kit and feel the difference in speed. Delivering 60GB/s of memory bandwidth at 1866MHz, it's perfect for tasks such as 4K video editing, 3D rendering, and scientific simulations that require round-the-clock stability.

Mac Pro (Late 2013)

DDR3 1600 REG-DIMM 4Rx4	32GB	TS32GJMA334P
DDR3 1600 REG-DIMM 4Rx4	128GB 4kit	TS128GJMA534P
DDR3 1866 REG-DIMM 2Rx4	16GB	TS16GJMA335Z
DDR3 1866 REG-DIMM 2Rx4	64GB 4kit	TS64GJMA535Z
DDR3 1866 REG-DIMM 2Rx8	8GB	TS8GJMA335H
DDR3 1866 REG-DIMM 2Rx8	32GB 4kit	TS32GJMA535H
DDR3 1866 ECC-DIMM 2Rx8	8GB	TS8GJMA345H
DDR3 1866 ECC-DIMM 2Rx8	32GB 4kit	TS32GJMA545H
DDR3 1866 ECC-DIMM 1Rx8	4GB	TS4GJMA345H
DDR3 1866 ECC-DIMM 1Rx8	16GB 4kit	TS16GJMA545H

Mac Pro (Mid 2010/Mid 2012)

DDR3 1600 REG-DIMM 2Rx4	16GB	TS16GJMA334Z
DDR3 1600 REG-DIMM 2Rx4	64GB 4kit	TS64GJMA534Z
DDR3 1333 REG-DIMM 2Rx8	8GB	TS8GJMA333H
DDR3 1333 REG-DIMM 2Rx8	32GB 4kit	TS32GJMA533H
DDR3 1333 ECC-DIMM 2Rx8	8GB	TS8GJMA343H
DDR3 1333 ECC-DIMM 2Rx8	4GB	TS4GJMA343H

Mac Pro (Early 2009)

DDR3 1333 REG-DIMM 2Rx4	8GB	TS8GJMA333Y
DDR3 1333 REG-DIMM 2Rx4	32GB 4kit	TS32GJMA533Y
DDR3 1333 REG-DIMM 2Rx8	4GB	TS4GJMA333N
DDR3 1333 REG-DIMM 2Rx8	16GB 4kit	TS16GJMA533N
DDR3 1333 ECC-DIMM 2Rx8	4GB	TS4GJMA343N

Mac Pro (2006/2007/2008)

DDR2 800 MAC FB-DIMM 2Rx8	2GB	TS2GJMA151U
DDR2 800 MAC FB-DIMM 2Rx8	4GB 2kit	TS4GJMA251U



Trustworthy

Transcend's JetMemory series is manufactured with the highest grade brand-name DRAM chips and is subjected to the full gamut of Transcend's strict quality control and environmental tests. Our JetMemory series meets the highest specifications of compatibility and reliability, and is backed by our limited lifetime warranty.



Transcend memory modules are manufactured with the highest grade, brand-name DRAM chips available, which are selected only after passing of our stringent performance and stability evaluation, including rigorous testing in extreme environments. These modules offer an unrivaled level of compatibility and stability that far outclasses the competition.



iMac 27-inch (Late 2013)

DDR3L 1600 SO-DIMM 2Rx8	8GB	TS8GJMA384H
DDR3L 1600 SO-DIMM 2Rx8	32GB 4kit	TS32GJMA584H
DDR3L 1600 SO-DIMM 1Rx8	4GB	TS4GJMA384H
DDR3L 1600 SO-DIMM 1Rx8	16GB 4kit	TS16GJMA584H

iMac 27-inch (Mid 2011/Late 2012)

DDR3 1600 SO-DIMM 1Rx8	4GB	TS4GJMA324H
DDR3 1600 SO-DIMM 1Rx8	16GB 4kit	TS16GJMA524H
DDR3 1600 SO-DIMM 2Rx8	8GB	TS8GJMA324H
DDR3 1600 SO-DIMM 2Rx8	32GB 4kit	TS32GJMA524H

Macbook Pro (Mid 2010/Early 2011/ Late 2011/Mid 2012)

DDR3 1600 SO-DIMM 1Rx8	4GB	TS4GJMA324H
DDR3 1600 SO-DIMM 1Rx8	8GB 2kit	TS8GJMA424H
DDR3 1600 SO-DIMM 2Rx8	8GB	TS8GJMA324H
DDR3 1600 SO-DIMM 2Rx8	16GB 2kit	TS16GJMA424H

Mac mini (Mid 2010/Mid 2011/ Late 2012)

DDR3 1600 SO-DIMM 1Rx8	4GB	TS4GJMA324H
DDR3 1600 SO-DIMM 1Rx8	8GB 2kit	TS8GJMA424H
DDR3 1600 SO-DIMM 2Rx8	8GB	TS8GJMA324H
DDR3 1600 SO-DIMM 2Rx8	16GB 2kit	TS16GJMA424H



Portable Wireless Drive

Welcome everyone to your world. Providing much-needed freedom from cables and extra capacity to mobile devices, the StoreJet Cloud portable drive is the ideal companion for any situation. Connect via wireless. Share files with friends and family. Enjoy hours of entertainment - anytime, anywhere. It's that simple.

StoreJet Cloud

Extends iOS and Wi-Fi device storage
Special App for iOS & Android devices


- Stream different content on 5 devices at the same time
- Share picture/audio/video/document files wirelessly
- Internal battery supports 6hrs playback and 8hrs standby
- Connect to the Internet and StoreJet Cloud simultaneously
- Size: 99 x 54 x 16.5mm
- Weight: 90g



EASY TO CARRY
no cables required



Special App for iOS & Android devices



Ordering Information

TS64GSJC10K	64GB
TS128GSJC10K	128GB



Stream movies wirelessly with StoreJet Cloud

- 

To begin, select the StoreJet Cloud App.
- 



Tap the StoreJet Cloud icon on the top left-hand corner to navigate through your files.
- 

Select the file you want to stream. It will begin automatically.



Wireless Storage
Small, portable,
no cables required



File Sharing
Enjoy personal media on
5 different devices



Multitasking
Surf & stream at the
same time



StoreJet Cloud App
Exclusive App for iOS &
Android devices

Supported Formats
Music (MP3, WAV)
Image (JPG, BMP, PNG)
Document (PDF, TXT, DOC, PPT, XLS)
Video (AVI, MOV, MP4, M4V)

External Hard Drives



One Touch
auto-backup

Portable Series

StoreJet 25M3

SuperSpeed USB 3.0
Military-grade shock resistance

- Three-stage shock protection system
 1. Vibration-absorbing silicone outer shell
 2. Reinforced hard casing
 3. Internal hard drive suspension damper
- One Touch auto-backup button

Ordering Information

TS500GSJ25M3	500GB
TS1TSJ25M3	1TB
TS1TSJ25M3B	1TB
TS2TSJ25M3	2TB



StoreJet 25H3

SuperSpeed USB 3.0
Military-grade shock resistance

- Three-stage shock protection system
 1. Vibration-absorbing silicone outer shell
 2. Reinforced hard casing
 3. Internal hard drive suspension damper
- One Touch auto-backup button

Ordering Information

TS500GSJ25H3P	500GB
TS1TSJ25H3P	1TB
TS1TSJ25H3B	1TB
TS2TSJ25H3P	2TB
TS2TSJ25H3B	2TB



Silicone
Outer Shell

Internal Hard Drive
Suspension Damper

Reinforced
Hard Casing





StoreJet 25A3
SuperSpeed USB 3.0
Internal suspension system

- Sleek, durable and shock-resistant
- USB powered – no external adapter necessary
- One Touch auto-backup button

Ordering Information

TS500GSJ25A3K	500GB
TS1TSJ25A3K/A3W	1TB
TS2TSJ25A3K	2TB

StoreJet 25D3
SuperSpeed USB 3.0
Internal suspension system

- Sleek, durable and shock-resistant
- USB powered – no external adapter necessary

Ordering Information

TS500GSJ25D3	500GB
TS1TSJ25D3/D3W	1TB



Desktop Series

StoreJet 35U3
USB 3.0 and USB 2.0 connection options
Silent 80mm cooling fan

- Works with all standard 3.5" SATA hard drives
- Silent 80mm cooling fan reduces risk of HDD failure
- Anti-slip vertical stand

Ordering Information

TS3TSJ35U3	3TB
TS0GSJ35U3	0GB
(enclosure only)	



StoreJet 35T3
SuperSpeed USB 3.0
Up to 3TB of storage space

- Vertically-oriented design saves desk space
- Power-saving sleep mode
- LED indicator

Ordering Information

TS2TSJ35T3	2TB
TS3TSJ35T3	3TB



Keep your files organized, protected and up-to-date with Transcend Elite!



Transcend Elite is developed for use with Transcend's JetFlash, StoreJet and Portable SSD products. For more information: www.transcend-info.com/

Portable Series



StoreJet 25H3



StoreJet 25M3



StoreJet 25A3



StoreJet 25D3

Size	130.8 × 80.8 × 19.0mm (2TB: 130.8 × 80.8 × 24.5mm)	129.5 × 82.4 × 20.4mm	130.6 × 80.1 × 15.0mm	129.9 × 82.1 × 17.3mm
Weight	216g (2TB: 284g)	216g (2TB:230g)	182g (2TB:196g)	191g
Interface	USB 3.0	USB 3.0	USB 3.0	USB 3.0
Drop Test	MIL-STD-810F METH.516.5 Proc Iv	MIL-STD-810F METH.516.5 Proc Iv	—	—
Auto-backup Button	●	●	●	—
Supported Software	Transcend Elite & RecoverX			
Storage Media	2.5-inch SATA Hard Drive			
Operating Voltage	DC 5V from USB port			

Desktop Series



StoreJet 35T3



StoreJet 35U3

Size	172.4 × 152.4 × 44.8mm	197.5 × 127.5 × 48mm
Weight	1040g	1040g / 340g (without HDD)
Interface	USB 3.0	USB 3.0
Auto-backup Button	●	—
Supported Software	Transcend Elite & RecoverX	Transcend Elite, RecoverX & Eco-Fan Control
Storage Media	3.5-inch SATA Hard Drive	
Operating Voltage	DC input: 12V/1.5A	

Storage Chart

	Photos (2MB, JPEG compression)	MP3 Music (4min per song, 128Kbps quality)	Videos (DVD quality, 2.25GB per hour)	Videos (Full HD, 1920x1080@13Mbps, 6GB per hour)
500GB	244,000 photos	122,000 songs	220 hours	84 hours
1TB	488,000 photos	244,000 songs	440 hours	168 hours
2TB	976,000 photos	488,000 songs	880 hours	336 hours
3TB	1,496,000 photos	732,000 songs	1,320 hours	504 hours

(The above information is for general reference only)

Operating Temperature: 5°C(41°F) to 55°C(131°F)

Operating Systems Supported: USB 2.0 models: Windows 8/7/Vista/XP/2000; Mac OS 9.0 or later; Linux Kernel 2.4.2 or later; USB 3.0 models: Windows 8/7/Vista/XP; Mac OS X 10.5 or later; Linux Kernel 2.6.31 or later.

* Transcend Elite software is not supported on Linux systems


USB Flash Drives



Get More Done *On-The-Go*

Mobile Series For Android Devices

The JetFlash 380 and JetFlash 340 USB OTG (USB On-The-Go) Flash Drive transforms the way you carry and exchange personal digital content. Transfer files to and from your Android device via the JetFlash 380/340's micro USB port and free to download Transcend Elite App. Transfer files to and from your computer using the standard USB port. With two interfaces built into one compact high-capacity flash drive, your storage possibilities just increased!



JetFlash 380S/G USB On-The-Go (OTG) Durable and waterproof

Ordering Information


■ TS8GJF380S	8GB
■ TS8GJF380G	8GB
■ TS16GJF380S	16GB
■ TS16GJF380G	16GB
■ TS32GJF380S	32GB
■ TS32GJF380G	32GB



JetFlash 340 USB On-The-Go (OTG) High capacity to 64GB

Ordering Information

■ TS8GJF340	8GB
■ TS16GJF340	16GB
■ TS32GJF340	32GB
■ TS64GJF340	64GB



Before purchasing this USB OTG Flash Drive, please make sure your device model appears on our website compatibility list.

USB 3.0 Series

Overtake the competition and become the race leader using advanced USB 3.0 speed. By taking advantage of this next-generation technology, the extremely fast JetFlash USB 3.0 Series allows you to transfer, store and share files quicker than ever before. And with a choice of classic, elegant or capless designs, the JetFlash USB 3.0 Series is perfect for driving your digital life in pole position.

JetFlash 820

SuperSpeed USB 3.0

Eye-popping champagne gold color

Ordering Information

■ TS8GJF820G	8GB
■ TS16GJF820G	16GB
■ TS32GJF820G	32GB
■ TS64GJF820G	64GB



Keep your data fully protected with Transcend's JetFlash 810 Rugged USB Flash Drives. Made of durable eco-friendly rubber, these sporty little drives are easy to grip and offer excellent resistance to shock, moisture, dust and other contaminants.

JetFlash 810

Splash/shock/dust-resistant

Durable eco-friendly silicone rubber

Ordering Information

■ TS8GJF810	8GB
■ TS16GJF810	16GB
■ TS32GJF810	32GB
■ TS64GJF810	64GB



JetFlash 790K/W

Convenient capless design

Up to 90MB/s read speed

Ordering Information

■ TS8GJF790K/W	8GB
■ TS16GJF790K/W	16GB
■ TS32GJF790K/W	32GB
■ TS64GJF790K/W	64GB
■ TS128GJF790K/W	128GB



As Transcend's fastest USB 3.0 flash drive, the extremely fast yet fashionable JetFlash 780 is engineered using advanced USB 3.0 technology to ensure unbeatable performance. The JetFlash 780 USB 3.0 flash drive combines ultra high-speed with a sophisticated checkerboard pattern that will be appreciated by those who enjoy the finer things in life.

JetFlash 780

Classic checkerboard pattern
Up to 210MB/s read speed

Ordering Information

- TS8GJF780 8GB
- TS16GJF780 16GB
- TS32GJF780 32GB
- TS64GJF780 64GB



JetFlash 750

Sleek piano-black case
Up to 130MB/s read speed

Ordering Information

- TS16GJF750K 16GB
- TS32GJF750K 32GB
- TS64GJF750K 64GB



JetFlash 700/730

Sleek piano-black/gloss white case
Up to 80MB/s read speed

Ordering Information

- TS4GJF700 4GB
- TS8GJF700/730 8GB
- TS16GJF700/730 16GB
- TS32GJF700/730 32GB
- TS64GJF700/730 64GB



JetFlash 710S

SuperSpeed USB 3.0
High-quality sturdy metallic structure
Durable and waterproof
Fits neatly into a USB port

Ordering Information

- TS8GJF710S 8GB
- TS16GJF710S 16GB
- TS32GJF710S 32GB
- TS64GJF710S 64GB



USB 2.0 Series

The JetFlash 510's tiny metallic design certainly grabs attention among the usual crowd of USB flash drives on the market. When plugged in, the compact JetFlash 510 instantly gives you more storage space on your tablet and notebook computer without sticking out the USB port like a standard flash drive. You can even use it in a USB-equipped car stereo*. Load it up with all your favorite songs and enjoy the journey.


JetFlash 510S/G

High-quality sturdy metallic structure
Durable and waterproof
Fits neatly into a USB port

Ordering Information

■ TS8GJF510S	8GB
■ TS8GJF510G	8GB
■ TS16GJF510S	16GB
■ TS16GJF510G	16GB
■ TS32GJF510S	32GB
■ TS32GJF510G	32GB

24K
gold-plated casing



JetFlash 520S/G

High-quality sturdy metallic structure
Durable and waterproof

Ordering Information

■ TS8GJF520S	8GB
■ TS8GJF520G	8GB
■ TS16GJF520S	16GB
■ TS16GJF520G	16GB
■ TS32GJF520S	32GB
■ TS32GJF520G	32GB
■ TS64GJF520S	64GB
■ TS64GJF520G	64GB



JetFlash T3S/G

Modern protective case and leather strap
Durable and waterproof

Ordering Information

■ TS4GJFT3S	4GB
■ TS8GJFT3S	8GB
■ TS8GJFT3G	8GB
■ TS16GJFT3S	16GB
■ TS16GJFT3G	16GB
■ TS32GJFT3S	32GB
■ TS32GJFT3G	32GB



JetFlash 320

High-quality aluminum body
Lanyard / key ring attachment loop

Ordering Information

■ TS8GJF320K	8GB
■ TS16GJF320K	16GB
■ TS32GJF320K	32GB
■ TS64GJF320K	64GB





JetFlash 590K/W

Fashion gloss case
Retractable USB connector



Ordering Information

- TS8GJF590K/W 8GB
- TS16GJF590K/W 16GB
- TS32GJF590K/W 32GB
- TS64GJF590K/W 64GB

The convenient capless JetFlash 590 USB Flash Drive utilizes a retractable USB connector to shield your data while in transit. Simply push/pull the colored slider to expose/retract the connector. With Hi-Speed USB 2.0 transfer rates and extra large capacity, the JetFlash 590 makes it easier than ever to store, carry and share all your digital files wherever you go.

JetFlash 560

Classic checkerboard pattern
Retractable USB connector



Ordering Information

- TS4GJF560 4GB
- TS8GJF560 8GB
- TS16GJF560 16GB
- TS32GJF560 32GB

JetFlash 360 Extremely slim & lightweight

Smooth, ergonomic design
One-handed operation



Ordering Information

- TS4GJF360 4GB
- TS8GJF360 8GB
- TS16GJF360 16GB
- TS32GJF360 32GB

JetFlash 350/370

Piano black & ivory white



Ordering Information

- TS4GJF350/370 4GB
- TS8GJF350/370 8GB
- TS16GJF350/370 16GB
- TS32GJF350/370 32GB
- TS64GJF350/370 64GB

JF350

JF370

JetFlash V70

Splash/shock/dust-resistant
Durable eco-friendly silicone rubber



Ordering Information

- TS4GJFV70 4GB
- TS8GJFV70 8GB
- TS16GJFV70 16GB
- TS32GJFV70 32GB

Mobile Series



JetFlash 380S/G

JetFlash 340

Size	28.1x12.25x4.5mm	51.6x17.4x8.2mm
Weight	3.2g	5g
Supported Software	Transcend Elite App	

USB 3.0 Series



JetFlash 820

Water Resistant
JetFlash 810

JetFlash 790K/W

JetFlash 780

JetFlash 750K

JetFlash 730/700

JetFlash 710S

Size	50.4 x 17x 7.4mm	63.3 x 20.4 x 8.9mm	63.3 x 21.2 x 10.6mm	70 x 21x 8.1mm	69.5 x 18.8 x 8.8mm	61.5 x 18.6 x 8.7mm	21.8 x 12.2 x 4.5mm
Weight	7g	12.4g	4.9g	12g	10.3g	8.5g	2.7g
Max. Read Speed*	90MB/s	80MB/s	90MB/s	210MB/s	130MB/s	80MB/s	90MB/s
Max. Write Speed*	45MB/s	25MB/s	40MB/s	140MB/s	30MB/s	25MB/s	20MB/s
Supported Software	Transcend Elite & RecoverX						

* Performance varies by capacity, user hardware and system configuration

USB 2.0 Series



JetFlash 510S/G

JetFlash 520S/G

JetFlash T3S/G

JetFlash 320

Size	21.8 x 12.2 x 4.5mm	37.3 x 12.2 x 4.5mm	29.4 x 12.3 x 3.1mm	50.4 x 17 x 7.4mm
Weight	2.7g	5.3g	4g	7g
Supported Software	Transcend Elite & RecoverX			

USB 2.0 Series



JetFlash 590K/W

JetFlash 560

JetFlash 360

JF350 JF370
JetFlash 350/370

Water Resistant
JetFlash V70

Size	63.3x21.2x10.6mm	45.2x23x8.5mm	45x18.3x7.5mm	61.5x18.6x8.7mm	63 x 22 x 10.5mm
Weight	4.9g	7g	4.3g	8.5g	15g
Supported Software	Transcend Elite & RecoverX				

Memory Cards

Performance Unleashed



SD Cards



SDXC/SDHC UHS-I U3

U3X *Read: 95MB/s, Write: 85MB/s

U3 *Read: 95MB/s, Write: 60MB/s

Ordering Information

TS32GSDU3X	32GB
TS64GSDU3	64GB
TS64GSDU3X	64GB
TS128GSDU3	128GB



SDXC/SDHC10 UHS-I

*Read: 90MB/s, 600x

Ordering Information

TS8GSDHC10U1	8GB
TS16GSDHC10U1	16GB
TS32GSDHC10U1	32GB
TS64GSDXC10U1	64GB
TS128GSDXC10U1	128GB



Speed Class Rating

Indicates minimum read/write performance of 10MB/s when used with a non UHS-I compatible device




Interface "I"

Indicates UHS-I interface compatibility



Ultra High Speed Class 3 (U3)

Indicates transfer speeds of at least 30MB/s, and up to 104MB/s when used on the UHS-I U3 interface



Bus Interface

Card Type

Bus Speed

Normal Speed	④	SD, SDHC, SDXC	12.5MB/s
High Speed	⑥ ⑩	SD, SDHC, SDXC	25MB/s
UHS-I	U U3 I	SDHC, SDXC	50MB/s (SDR50,DDR50) 104MB/s (SDR104)



SDXC/SDHC10 UHS-I

*Read: 45MB/s, 300x

Ordering Information

TS8GSDU1	8GB
TS16GSDU1	16GB
TS32GSDU1	32GB
TS64GSDU1	64GB

Source: SD Association

SDHC/SDXC UHS-I memory cards achieve best performance when paired with SDHC/SDXC UHS-I compatible devices

* Transfer Rate (Max), based on internal Transcend testing.

Actual transfer speed may vary due to host hardware, software and usage.

SDXC10

*Up to 30MB/s, 200x

Ordering Information

TS64GSDXC10	64GB
TS64GSDXC10-P2**	64GB
TS128GSDXC10	128GB



SDHC10

*Up to 30MB/s, 200x

Ordering Information

TS4GSDHC10	4GB
TS8GSDHC10	8GB
TS8GSDHC10-P2**	8GB
TS16GSDHC10	16GB
TS16GSDHC10-P2**	16GB
TS32GSDHC10	32GB
TS32GSDHC10-P2**	32GB



SDHC4

*Up to 16MB/s, 100x

Ordering Information

TS4GSDHC4	4GB
TS8GSDHC4	8GB
TS16GSDHC4	16GB
TS32GSDHC4	32GB



* Transfer Rate (Max), based on internal Transcend testing.
Actual transfer speed may vary due to capacity, host hardware, software and usage.
**Includes USB card reader



SMOOTH FULL HD
video recording performance



Transcend's Wi-Fi SD card instantly adds wireless capability to your digital camera, letting you stream photos and videos to portable devices without the hassle of using cables, card readers or a computer. Take advantage of the high resolution of your digital camera and the versatility of your smartphone or tablet to share beautifully captured photos to the world as soon as you take them.

Wi-Fi SD Card

Instantly share picture/video files wirelessly
Exclusive App for iOS and Android

- Wirelessly stream different content to 3 devices simultaneously
- Use your tablet/smartphone/notebook to review photos in real time
- Upload photos directly to social networking profile
- Supports iOS, Android, Windows, Linux, and Mac OS X

Ordering Information

TS16GWSHC10	16GB
TS32GWSHC10	32GB



Scan QR Code for
compatibility information



MicroSD Cards

microSDHC10 UHS-I Ultimate

Ordering Information

TS8GUSDHC10U1	8GB
TS16GUSDHC10U1	16GB
TS32GUSDHC10U1	32GB



microSDHC/SDXC10 UHS-I

Ordering Information

TS8GUSDU1	8GB	TS32GUSDU1	32GB
TS8GUSDCU1***	8GB	TS32GUSDCU1***	32GB
TS16GUSDU1	16GB	TS64GUSDU1	64GB
TS16GUSDCU1***	16GB		



microSDHC10

Ordering Information

TS4GUSDHC10	4GB	TS16GUSDHC10	16GB
TS4GUSDC10***	4GB	TS16GUSDC10***	16GB
TS8GUSDHC10	8GB	TS32GUSDHC10	32GB
TS8GUSDC10***	8GB	TS32GUSDC10***	32GB



microSDHC4

Ordering Information

TS4GUSDHC4	4GB	TS16GUSDHC4	16GB
TS4GUSDC4***	4GB	TS16GUSDC4***	32GB
TS8GUSDHC4	8GB	TS32GUSDHC4	32GB
TS8GUSDC4***	8GB	TS32GUSDC4***	32GB



microSD

Ordering Information

TS1GUSD	1GB	TS2GUSD	2GB
TS1GUSDC***	1GB	TS2GUSD-2**	2GB
		TS2GUSDC***	2GB



Great compatibility
with mobile devices



Transcend
microSDHC
Class 10 UHS-I

Up to 90MB/s

Transcend
microSDHC
Class 10

Up to 30MB/s

Class 10
Specification

Up to 10MB/s

* Transfer Rate (Max), based on internal Transcend testing.
Actual transfer speed may vary due to capacity, host hardware, software and usage.
**Includes microSD to miniSD adapter
***No adapter

CFast / CompactFlash Cards

CFX650 CFast Card

*Read: 500MB/s; Write: 400MB/s

Ordering Information

TS128GCFX650	128GB
TS256GCFX650	256GB

CFX600 CFast Card

*Read: 500MB/s; Write: 250MB/s

Ordering Information

TS128GCFX600	128GB
TS256GCFX600	256GB
TS512GCFX600	512GB

1000x CompactFlash

*Read: 160MB/s; Write: 120MB/s

Ordering Information

TS16GCF1000	16GB
TS32GCF1000	32GB
TS64GCF1000	64GB
TS128GCF1000	128GB

800x CompactFlash

*Read: 120MB/s; Write: 60MB/s

Ordering Information

TS64GCF800	64GB
TS128GCF800	128GB
TS256GCF800	256GB

400x CompactFlash

*Read: 90MB/s; Write: 60MB/s

Ordering Information

TS8GCF400	8GB
TS16GCF400	16GB
TS32GCF400	32GB
TS64GCF400	64GB



Video Performance Guarantee (VPG)

The VPG-20 (Video Performance Guarantee) specification enables guaranteed sustained capture of video streams at up to 20MB/s for professional video recording.

* Transfer Rate (Max), based on internal Transcend testing.
Actual transfer speed may vary due to host hardware, software and usage.

Card Readers & Accessories



Expand Personal Mobility

OTG Smart Reader

RDP9

Smart Reader for smartphone/tablet

- Supports SDHC (UHS-I), SDXC (UHS-I), microSDHC (UHS-I), microSDXC (UHS-I) cards and an external USB port
- The external USB port allows you to connect keyboards, mice and flash drives to your OTG compatible devices

Ordering Information

- TS-RDP9K Black

Before purchasing this product, please make sure your device model appears on our website compatibility list.



* Not all cards support built-in security functions.
Please check the memory card manufacturer for compatibility details.



CFast Card Readers



RDF2

SuperSpeed USB 3.0 interface
Up to 500 MB/s transfer speed*

- Supports CFast 2.0 cards (Backward compatible to CFast 1.1/1.0)
- USB3.0 interface with transfer speeds up to 500MB/s
- Convenient LED data transfer activity indicator

Ordering Information

- TS-RDF2 Black

* Based on USB 3.0 specification;
Performance may vary depending on use case and host device.

USB 3.0 Card Readers

RDF8

SuperSpeed USB 3.0 interface
Supports Next-Generation Memory Cards

- Utilize the full speed potential of your memory cards
- Supports SD & CF built-in security functions*

Supported Cards

SDHC (UHS-I), SDXC (UHS-I),
microSDHC (UHS-I), MS (MSXC),
microSDXC (UHS-I), CF (UDMA7)

Ordering Information

- TS-RDF8K Black
- TS-RDF8W White



RDF5

SuperSpeed USB 3.0 interface
Built-in USB connector

- Utilize the full speed potential of your memory cards
- Supports SD built-in security functions*

Supported Cards

SDHC (UHS-I), SDXC (UHS-I),
microSD, microSDHC (UHS-I),
microSDXC (UHS-I)

Ordering Information

- TS-RDF5K Black
- TS-RDF5W White



USB 2.0 Card Readers

RDP8

Supports CompactFlash cards

Supported Cards

CF Type I, SD, SDHC, microSDHC,
microSD/TransFlash, MMC, MMCplus,
RS-MMC, MMCmobile, Memory Stick (MS)
Memory Stick PRO, Memory Stick Duo,
Memory Stick PRO Duo,
Memory Stick PRO-HG Duo, MMCmicro

Ordering Information

- TS-RDP8K Black □ TS-RDP8W White
- TS-RDP8R Rose



RDP7

Works like a 3-port USB hub
Built-in USB cable

Supported Cards

SD, SDHC, microSDHC, microSD/
TransFlash, MMC, MMCplus, RS-MMC,
MMCmobile, Memory Stick (MS)
Memory Stick PRO, Memory Stick Duo,
Memory Stick PRO Duo,
Memory Stick PRO-HG Duo, MMCmicro

Ordering Information

- TS-RDP7K Black
- TS-RDP7W White



RDP5

Works like a USB flash drive
Supports SD & microSD cards

Supported Cards

SDHC (UHS-I), SDXC (UHS-I),
microSD, microSDHC (UHS-I),
microSDXC (UHS-I)

Ordering Information

- TS-RDP5K Black
- TS-RDP5W White



Accessories

HUB3

USB 3.0 4-port Hub
Supports fast charging for iPad*

*Requires fast charging driver, free download from the Transcend website. iPad is a trademark of Apple Inc.

Ordering Information

TS-HUB3K



PDU3

USB 3.0 Expansion Card
1 x PCI-E
2 x USB 3.0 ports

Ordering Information

TS-PDU3



PNU3

ExpressCard/34 interface
ExpressCard/34
2 x USB 3.0 ports

Ordering Information

TS-PNU3



CF2PC

CompactFlash Adapter
PCMCIA
1 x CompactFlash slot

Ordering Information

TS0MCF2PC



Car Video Recorder



1080P
FULL HD
Recording

Sharp Video Anytime



Wi-Fi connectivity
and exclusive App



DrivePro 200

Sharp video anytime

Exclusive App for iOS and Android

- 7 Glass Lenses for Ultra Sharp Images
- Emergency Recording Function
- F/2.0 aperture for low light conditions
- 160° viewing angle gives an extra wide perspective of on-road events
- Built-in Wi-Fi to enable live viewing

Size	67 x 72 x 34.3mm
Weight	84g
Video Formats	H.264 (MOV: up to 1920x1080 30fps)

Ordering Information

TS16GDP200 16GB

DrivePro 100

Snapshot function to take still photos while recording video

Built-in Battery

- 6 Glass Lenses for Ultra Sharp Images
- Emergency Recording Function
- F/1.8 aperture for low light conditions
- 130° viewing angle gives an extra wide perspective of on-road events

Size	68.3 x 63.1 x 34.4mm
Weight	72.6g
Video Formats	H.264 (MP4: up to 1920x1080 30fps)

Ordering Information


TS16GDP100 16GB



F/1.8 Aperture

Multimedia Products



 *Music on the Move*

Digital Music Players

MP710

Line-in, voice & FM recording functions
2" full-color TFT screen for a vivid display

- Supports MP3, WMA, and WAV music files
- Recordable FM Radio with 30 station presets
- Built-in microphone & direct Line-in recording (for CD players or other devices)
- Playback time up to 42 hours

*Two-year Limited Warranty (Li-polymer battery: six months)

Ordering Information

- TS8GMP710W 8GB



Removable
Earhook
Earphones



G-Sensor Step Counter

MP350

Water and shock resistant
Built-in sport clip

- Handy Fitness Tracker
- Vivid all-white OLED screen displays clear text at any angle and in any light
- Supports MP3, WMA, and WAV music files
- Built-in microphone and FM radio recording

*Two-year Limited Warranty (Li-polymer battery: six months)



Water Resistant



Ordering Information

- TS8GMP350B 8GB

MP300

15g Lightweight design
Multiple playback modes

- Over 15 hours of continuous music playback
- Ultra-lightweight and compact
- Plays MP3, WAV, and WMA music files
- Random and sequential playback modes
- USB Flash Drive capabilities for data transfer and storage
- Dual-color LED indicator

*Max. playback time may vary depending on volume level, music file format and other factors



Ordering Information

- TS8GMP300K 8GB

MP330

Line-in, voice & FM recording functions
Detachable sport clip

- Supports MP3, WMA, and WAV music files
- Vivid all-white OLED screen displays clear text at any angle and in any light
- Recordable FM Radio with 20 station presets
- Built-in microphone & direct Line-in recording (for CD players or other devices)

*Two-year Limited Warranty (Li-polymer battery: six months)



Ordering Information

- TS8GMP330K 8GB
- TS8GMP330W 8GB
- TS8GMP330P 8GB

Full Color Display

MP870

Vivid 2.4" full-color TFT display
Supports MPEG4 SP (Xvid),
FLV & RM/RMVB video files

- Supports music, photo, and eBook (.txt) file formats
- microSD/microSDHC memory card slot
- Built-in FM radio
- Line-in recording



Ordering Information

- TS8GMP870W 8GB
- TS8GMP870K 8GB

	MP870	MP710	MP350	MP330	MP300
Product Image					
Screen Type	2.4" TFT LCD 240 x 320 pixels	2" TFT LCD 240 x 320 pixels	High contrast monochrome OLED	High contrast monochrome OLED	—
Capacity	8GB	8GB	8GB	8GB	8GB
Dimensions	94 x 50 x 12mm	88 x 44.3 x 10mm	67 x 26.5 x 11.7mm (without clip) 67 x 26.5 x 18.3mm (with clip)	85 x 25.5 x 11.5mm	68.6 x 26.4 x 9.6mm
Weight	62g	39g	22g	25g	15g
Music Formats	MP3, WMA, OGG, FLAC and WAV	MP3, WMA, WAV	MP3, WMA, WAV	MP3, WMA, WAV	MP3, WMA, WAV
Photo / Video Formats	JPEG, BMP, GIF, PNG, MPEG4 SP (Xvid), FLV, RM/RMVB	JPEG**, BMP, AMV, AVI	—	—	—
Recording Format	IMA_ADPCM (WAV)	PCM (WAV)	IMA_ADPCM (WAV)	IMA_ADPCM (WAV)	—
Line-in Function	●	●	—	●	—
Recording Time (est.)	Up to 16 hours	Up to 35 hours	Up to 20 hours	Up to 20 hours	—
Playback Time (est.)*	22 hours	42 hours	16 hours	16 hours	15 hours

* Max. playback time may vary depending on volume level, music file format and other factors.

** Progressive DCT is not supported.

Portable CD/DVD Writers

Whether playing movies, installing software, or backing up files on the go, Transcend's slim portable CD/DVD writers are the perfect companion for today's thin-and-light laptops, netbooks and Ultrabooks. For added convenience, the CD/DVD writers include a free download of the extremely useful CyberLink Media Suite 10 media writing software suite.

Ultra-slim, just **13.9 mm**



8X DVDS

Ultra-slim, sleek design

- 8X DVD±R read/write, 24X CD-R/RW read/write
- Compatible with CD-R/RW, DVD±R, DVD±RW, DVD±R DL, DVD-RAM media formats
- Reads and writes dual layer discs
- Free download of CyberLink software tools*
- Size: 142.8 x 148 x 13.9mm
- Weight: 246g

Ordering Information

- TS8XDVDS-K



8X DVDRW

Fast, Slim, Portable

- 8X DVD±R read/write, 24X CD-R/RW read/write
- Compatible with CD-R/RW, DVD±R, DVD±RW, DVD±R DL, DVD-RAM media formats
- Reads and writes dual layer discs
- Free download of CyberLink software tools*
- Size: 156.2 x 142 x 22.5mm
- Weight: 375g

Ordering Information

- TS8XDVDRW-K
- TS8XDVDRW-W

*Cyberlink Power2Go and MediaShow only work in Windows. MediaShow requires upgrade to create DVD slideshows

	8X DVDRW	8X DVDS
Size & Weight	156.2 x 142 x 22.5mm, 375g	142.8 x 148 x 13.9mm, 246g
Drive Type	12.7mm, Tray-loading	9.5mm, Tray-loading
Buffer Memory	1MB	1MB
Average Seek Time	DVD-ROM – 150ms, CD-ROM – 150ms	DVD-ROM – 190ms, CD-ROM – 190ms
Compatible Media	DVD-R, DVD+R, DVD-RW, DVD+RW, CD-R, CD-RW, DVD+R DL, DVD-R DL, DVD-RAM	
Read / Write Speed (Max.)	(Read) DVD±R:	8X
	DVD±RW:	8X
	DVD±R (DL):	8X
	DVD ROM/Video/Audio:	8X
	DVD ROM/Video/Audio (DL):	8X
	DVD-RAM:	5X
	CD-ROM/R/RW/Video/Audio:	24X
	(Write) DVD±R:	8X
	DVD+RW:	8X
	DVD-RW:	6X
	DVD±R (DL):	6X
	DVD-RAM:	5X
	CD-R/RW:	24X

*Cyberlink Power2Go and MediaShow only work in Windows. MediaShow requires upgrade to create DVD slideshows

Memory Modules



For Gamers & Enthusiasts

Unleash the power of the aXe! Transcend's aXeRam extreme performance memory is designed to operate at a blazing-fast clock frequency with an exceptionally low voltage, providing hardcore gamers and enthusiasts with unparalleled overclocking ability.



Perfect for 3D GAMING

XMP high performance memory profiles



DDR3-2400+ CL11 DIMM

8GB Kit (4GB x 2)

Speed	2400MHz (PC3 19200)
CAS latency	11
Voltage at rated speed	1.65V
Heatsink material	High purity aluminum with fins
Memory profile	XMP Certified

DDR3-2133+ CL10 DIMM


8GB Kit (4GB x 2), 16GB Kit (8GB x 2)

Speed	2133MHz (PC3 17000)
CAS latency	10
Voltage at rated speed	1.6V
Heatsink material	High purity aluminum with fins
Memory profile	XMP Certified



Low Profile
(0.74")

- Higher memory capacity with 8 DIMM per channel (FB-DIMM)
- 100% tested for reliability and quality
- Stable signal integrity at high frequency operation
- 1.35 Voltage at rated speed (DDR3L)
- Meets JEDEC standards & supports ECC function



For Servers & Workstations

DDR3 240-PIN ECC DIMM

DDR3-1866	256Mx8 (18pcs) (CL13)	4GB	TS512MLK72V8N
	512Mx8 (9pcs) (CL13)	4GB	TS512MLK72V8H
	512Mx8 (18pcs) (CL13)	8GB	TS1GLK72V8H
	256Mx8 (9pcs) (CL11)	2GB	TS256MLK72V6N
DDR3-1600	512Mx8 (9pcs) (CL11)	4GB	TS512MLK72V6H
	512Mx8 (18pcs) (CL11) 1.35V	4GB	TS512MLK72V6H
	256Mx8 (18pcs) (CL11)	4GB	TS512MLK72V6N
	512Mx8 (18pcs) (CL11) 1.35V	8GB	TS1GLK72V6H
DDR3-1333	512Mx8 (18pcs) (CL11)	8GB	TS1GLK72V6H
	128Mx8 (9pcs) (CL9)	1GB	TS128MLK72V3U
	128Mx8 (18pcs) (CL9)	2GB	TS256MLK72V3U
	256Mx8 (9pcs) (CL9)	2GB	TS256MLK72V3N
DDR3-1066	256Mx8 (18pcs) (CL9)	4GB	TS512MLK72V3N
	512Mx8 (9pcs) (CL9)	4GB	TS512MLK72V3H
	512Mx8 (18pcs) (CL9)	8GB	TS1GLK72V3H
	128Mx8 (18pcs) (CL7)	2GB	TS256MLK72V1U
	256Mx8 (18pcs) (CL7)	4GB	TS512MLK72V1N

240-PIN ECC SO-DIMM

DDR3-1600	512Mx8 (9pcs) (CL11) 1.35V	4GB	TS512MSK72V6H
	512Mx8 (18pcs) (CL11) 1.35V	8GB	TS1GSK72V6H
	512Mx8 (18pcs) (CL11)	8GB	TS1GSK72V6H
DDR3-1333	128Mx8 (9pcs) (CL9)	1GB	TS128MSK72V3U
	256Mx8 (9pcs) (CL9)	2GB	TS256MSK72V3N
	256Mx8 (9pcs) (CL9)	2GB	TS256MSK72V3N-I*
	256Mx8 (18pcs) (CL9)	4GB	TS512MSK72V3N-I*
	256Mx8 (18pcs) (CL9)	4GB	TS512MSK72V3N
	512Mx8 (18pcs) (CL9)	8GB	TS1GSK72V3H
	512Mx8 (18pcs) (CL9)	8GB	TS1GSK72V3H-I*

240-PIN Registered DIMM

DDR3-1866	256Mx8 (18pcs) (CL13)	4GB	TS512MKR72V8N
	512Mx8 (9pcs) (CL13)	4GB	TS512MKR72V8H
	512Mx8 (18pcs) (CL13) 0.74"	8GB	TS1GKR72V8HL
	512Mx8 (18pcs) (CL13)	8GB	TS1GKR72V8H
	2Gx4 (18pcs) (CL13) 0.74"	8GB	TS2GKR72V8PL
	1Gx4 (36pcs) (CL13)	16GB	TS2GKR72V8Z
DDR3-1600	256Mx8 (9pcs) (CL11)	2GB	TS256MKR72V6N
	256Mx8 (18pcs) (CL11)	4GB	TS512MKR72V6N
	256Mx8 (18pcs) (CL11) 0.74"	4GB	TS512MKR72V6NL
	512Mx8 (18pcs) (CL11)	4GB	TS512MKR72V6H
	512Mx8 (9pcs) (CL11) 1.35V	4GB	TS512MKR72V6H
	512Mx8 (18pcs) (CL11) 0.74"	8GB	TS1GKR72V6HL
DDR3-1333	512Mx8 (18pcs) (CL11)	8GB	TS1GKR72V6H
	512Mx4 (36pcs) (CL11)	8GB	TS1GKR72V6Y
	128Mx8 (18pcs) (CL11) 1.35V	8GB	TS1GKR72V6H
	512Mx4 (36pcs) (CL11) 1.35V	8GB	TS1GKR72V6Y
	1Gx4 (CL11) 1.35V	8GB	TS1GKR72V6Z
	128Mx8 (18pcs) (CL11) 1.35V	16GB	TS2GKR72V6Z
DDR3-1066	2Gx4 (18pcs) (CL11)	16GB	TS2GKR72V6PL
	2Gx4 (18pcs) (CL11) 0.74"	16GB	TS2GKR72V6PL
	1Gx4 (36pcs) (CL11)	16GB	TS2GKR72V6Z-I*
	1Gx4 (36pcs) (CL11)	16GB	TS2GKR72V6Z

DDR3 240-PIN Registered DIMM

DDR3-1333	128Mx8 (9pcs) (CL9)	1GB	TS128MKR72V3U
	128Mx8 (18pcs) (CL9)	2GB	TS256MKR72V3U *
	128Mx8 (18pcs) (CL9) 0.74"	2GB	TS256MKR72V3UL
	256Mx8 (9pcs) (CL9)	2GB	TS256MKR72V3N
	256Mx8 (9pcs) (CL9) 0.74"	2GB	TS256MKR72V3NL
	256Mx4 (18pcs) (CL9)	2GB	TS256MKR72V3T
	256Mx4 (36pcs) (CL9)	4GB	TS512MKR72V3T
	256Mx8 (18pcs) (CL9)	4GB	TS512MKR72V3N
	256Mx8 (18pcs) (CL9) 0.74"	4GB	TS512MKR72V3NL
	512Mx4 (18pcs) (CL9)	4GB	TS512MKR72V3Y
	256Mx8 (36pcs) (CL9)	8GB	TS1GKR72V3N
	512Mx4 (36pcs) (CL9)	8GB	TS1GKR72V3Y
DDR3-1066	512Mx8 (18pcs) (CL9)	8GB	TS1GKR72V3H
	512Mx8 (18pcs) (CL9) 0.74"	8GB	TS1GKR72V3HL
	512Mx8 (18pcs) (CL9) 1.35V	8GB	TS1GKR72V3H
	512Mx8 (36pcs) (CL9)	16GB	TS2GKR72V3H
	2048Mx4 (36pcs) (CL9)	32GB	TS4GKR72V3P
	128Mx8 (36pcs) (CL7)	4GB	TS512MKR72V1U
	256Mx8 (36pcs) (CL7)	8GB	TS1GKR72V1N

DDR2 240-PIN FB-DIMM

DDR2-800	128Mx8 (18pcs) (CL6)	2GB	TS256MFB72V8U-T
	64Mx8 (9pcs) (CL5)	512MB	TS64MFB72V6J-T
	64Mx8 (18pcs) (CL5)	1GB	TS128MFB72V6J-T
	128Mx8 (9pcs) (CL5)	1GB	TS128MFB72V6U-T
DDR2-667	128Mx8 (18pcs) (CL5)	2GB	TS256MFB72V6U-T *
	128Mx8 (36pcs) (CL5)	4GB	TS512MFB72V6U-T
	256Mx4 (36pcs) (CL5)	4GB	TS512MFB72V6T-T

240-PIN FB-DIMM for Mac Pro

DDR2-800	128Mx8 (18pcs) (CL6)	2GB	TS2GAPMACP8U-T
DDR2-667	128Mx8 (18pcs) (CL5)	2GB	TS2GAPMACP6U-T

240-PIN ECC DIMM

DDR2-800	128Mx8 (9pcs) (CL6)	1GB	TS128MLQ72V8U
	128Mx8 (9pcs) (CL6)	1GB	TS128MLQ72V8U-I*
	128Mx8 (18pcs) (CL6)	2GB	TS256MLQ72V8U
	64Mx8 (9pcs) (CL5)	512MB	TS64MLQ72V6J
DDR2-667	64Mx8 (18pcs) (CL5)	1GB	TS128MLQ72V6J
	128Mx8 (9pcs) (CL5)	1GB	TS128MLQ72V6U
	128Mx8 (18pcs) (CL5)	2GB	TS256MLQ72V6U
	128Mx8 (18pcs) (CL5)	2GB	TS256MLQ72V6U-I*
DDR2-533	64Mx8 (9pcs) (CL4)	512MB	TS64MLQ72V5J
	64Mx8 (18pcs) (CL4)	1GB	TS128MLQ72V5J
	128Mx8 (18pcs) (CL4)	2GB	TS256MLQ72V5U

DDR2 240-PIN Registered DIMM

DDR2-800	128Mx8 (18pcs) (CL6)	2GB	TS256MQR72V8U
	256Mx8 (18pcs) (CL6)	4GB	TS512MQR72V8NL
DDR2-667	64Mx8 (18pcs) (CL5)	1GB	TS128MQR72V6J
	128Mx8 (9pcs) (CL5)	1GB	TS128MQR72V6U
DDR2-533	128Mx8 (18pcs) (CL5)	2GB	TS256MQR72V6U
	128Mx8 (18pcs) (CL5) 0.72"	2GB	TS256MQR72V6UL
DDR2-400	256Mx4 (36pcs) (CL5)	4GB	TS512MQR72V6T
	128Mx8 (9pcs) (CL4) 0.72"	1GB	TS128MQR72V5UL
DDR2-400	64Mx4 (18pcs) (CL3)	512MB	TS64MQR72V4E
	64Mx8 (9pcs) (CL3)	512MB	TS64MQR72V4J
	64Mx8 (18pcs) (CL3)	1GB	TS128MQR72V4J
	256Mx4 (18pcs) (CL3)	2GB	TS256MQR72V4T
	256Mx4 (36pcs) (CL3)	4GB	TS512MQR72V4T

DDR 184-PIN ECC DIMM

DDR-400	64Mx8 (9pcs) (CL3)	512MB	TS64MLD72V4J
	64Mx8 (18pcs) (CL3)	1GB	TS128MLD72V4J
DDR-333	32Mx8 (9pcs)	256MB	TS32MLD72V3F
	32Mx8 (18pcs)	512MB	TS64MLD72V3F5
DDR-266	64Mx8 (9pcs)	512MB	TS64MLD72V3J
	64Mx8 (18pcs)	1GB	TS128MLD72V3J
DDR-266	32Mx8 (9pcs)	256MB	TS32MLD72V6F5
	32Mx8 (18pcs)	512MB	TS64MLD72V6F5
	64Mx8 (18pcs)	1GB	TS128MLD72V6J

184-PIN Registered DIMM

DDR-400	64Mx8 (9pcs) (CL3)	512MB	TS64MDR72V4J
	64Mx8 (18pcs) (CL3)	1GB	TS128MDR72V4J
	128Mx4 (36pcs) (CL3) FBGA, 1.2"	2GB	TS256MDR72V4L
DDR-333	64Mx8 (18pcs)	1GB	TS128MDR72V3J
	128Mx4 (18pcs)	1GB	TS128MDR72V3K
	128Mx4 (36pcs)	2GB	TS256MDR72V3K
DDR-266	64Mx4 (18pcs)	512MB	TS64MDR72V6L5
	64Mx4 (36pcs)	1GB	TS128MDR72V6L5 *
	64Mx8 (18pcs)	1GB	TS128MDR72V6J
	128Mx4 (18pcs)	1GB	TS128MDR72V6K
	128Mx4 (18pcs), FBGA	1GB	TS128MDR72V6S
	64Mx4 (36pcs), FBGA	1GB	TS128MDR72V6A
	128Mx4 (36pcs)	2GB	TS256MDR72V6K
	128Mx4 (36pcs) FBGA, 1.35"	2GB	TS256MDR72V6S

* Industrial Grade Memory
* Certified by CMTL

Product Lines

Solid State Drives

SATA 6Gb/s SSDs



SSD370 SSD340

USB 3.0 Portable SSD



ESD400

Apple Solutions

JetDrive



JDM725/720 JDM520 JDM500

JetDrive Lite



JDM420 JDL360 JDL350 JDL330 JDL130

External Hard Drives

Portable Series



SJ25H3P SJ25H3B SJ25M3 SJ25M3B SJ25A3 SJ25D3

USB Flash Drives

Mobile Series



JF380S/G



JF340

USB 3.0 Series



JF820



JF810



JF790K/W



JF780



JF750



JF730/700



JF710S

Memory Cards

SD Cards



SDHC/SDXC10 UHS-I U3X



SDHC/SDXC10 UHS-I U3



SDHC/SDXC10 UHS-I



SDHC/SDXC10 UHS-I



SDHC/SDXC10



SDHC4



Wi-Fi SD Card

Card Readers & Accessories

OTG Smart Reader



RDP9

CFast Card Reader



RDF2

USB 3.0 Card Readers



RDF8



RDF5

Car Video Recorder

DrivePro 200



DP200

DrivePro 100



DP100

Multimedia Products

Digital Music Players



MP870



MP710



MP350



MP330



MP300

Memory Modules

For Gamers & Enthusiasts



For Servers & Workstations



SATA 6Gb/s mSATA SSD



MSA370

SATA 6Gb/s M.2 SSDs



MTS800



MTS600



MTS400

StoreJet for Mac



SJM100



SJM300



SJM500

JetMemory



Portable Wireless Drive



StoreJet Cloud

Desktop Series



SJ35T3



SJ35U3

USB 2.0 Series



JFV70



JF590K/W



JF560



JF360



JF350/370



JF320



JFT35/G



JF520S/G



JF510S/G

MicroSD Cards



microSDHC/SDXC10 UHS-I



microSDHC/SDXC10 UHS-I



microSDHC10



microSDHC4



microSD

CFast / CompactFlash Cards



CFX650



CFX600



CF1000x



CF800x



CF400x

USB 2.0 Card Readers



RDP8



RDP7



RDP5

Accessories



HUB3



PDU3



PNU3



CF2PC

Portable CD/DVD Writers



8X DVDS



8X DVDRW

For Desktops & Notebooks



TAIWAN

No. 70, XingZhong Rd., NeiHu Dist.
Taipei, Taiwan, R.O.C.
Tel: +886-2-2792-8000
Fax: +886-2-2793-2174
E-mail: sales-tw@transcend-info.com

LOS ANGELES, U.S.A.

1645 North Brian Street
Orange, CA 92867, U.S.A.
Tel: +1-714-921-2000
Fax: +1-714-921-2111
E-mail: sales-us@transcend-info.com

SILICON VALLEY, U.S.A.

2350 Mission College Blvd. STE 1050,
Santa Clara CA 95054, U.S.A.
TEL: +1-408-785-5990
Fax: +1-408-970-9211
E-mail: sales-us@transcend-info.com

MARYLAND, U.S.A.

10320 Little Patuxent Parkway, Suite 808
Columbia, MD 21044, U.S.A.
Tel: +1-410-689-4900
Fax: +1-410-715-1727
E-mail: sales-us@transcend-info.com

MIAMI, U.S.A.

7200 Corporate center Drive, Suite 409,
Miami, Florida 33126, U.S.A.
Tel: +1-305-421-0951
Fax: +1-305-418-8796
E-mail: sales-us@transcend-info.com

GERMANY

Flughafenstrasse 52b
22335 Hamburg, Germany
Tel: +49-40-538-907-0
Fax: +49-40-538-907-90
E-mail: sales-de@transcend-info.com

THE NETHERLANDS

Cairostraat 40
3047 BC Rotterdam, The Netherlands
Tel: +31-10-298-8500
Fax: +31-10-298-8599
E-mail: sales-nl@transcend-info.com

UNITED KINGDOM

First Floor, Hemel One, Boundary Way
Hemel Hempstead, HP2 7YU, UK
Tel: +44-1442-838-280
Fax: +44-1442-264-598
E-mail: sales-uk@transcend-info.com

JAPAN

1-8-5, Kuramae, Taito-ku Tokyo
111-0051, Japan
Tel: +81-3-5820-6000
Fax: +81-3-5820-6012
Email: sales-jp@transcend-info.com

KOREA

12th Floor, CBS Bldg., 917-1, Mok-1dong,
Yangcheon-gu, Seoul, Korea 158-701
Tel: +82-2-782-8088
Fax: +82-2-782-8089
E-mail: sales-kr@transcend-info.com

BEIJING, CHINA

A15, E-Wing Center, No.113 Zhi Chun St,
Haidian District, Beijing, China 100086
Tel: +86-10-8265-9969
Fax: +86-10-8265-0677
E-mail: sales@transcendchina.com

SHANGHAI, CHINA

3F, Kaixuan City Industrial Park,
No. 1010, Kaixuan Road, Shanghai,
China 200052
Tel: +86-21-6161-9388
Fax: +86-21-6161-9303
E-mail: sales@transcendchina.com

SHENZHEN, CHINA

Room 1603, Tower 1, Kerry Plaza,
No 1, Zhongxin Si Road,
Futian CBD, Shenzhen, China 518048
Tel: +86-755-2598-7200
Fax: +86-755-2598-7270
E-mail: sales@transcendchina.com

HONG KONG, CHINA

Unit 17-18, 10/F., Nan Fung Commercial Centre,
19 Lam Lok St., Kowloon Bay, Hong Kong
Tel: +852-2331-8929
Fax: +852-2331-2987
E-mail: sales-hk@transcend-info.com